

Application/Control Number: 09/770,070  
Art Unit: 2686

Docket No.: PALM-3238

**AMENDMENT**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1-34 (Canceled)

35. (Currently Amended) A personal digital assistant comprising:

a processor;

a memory unit to store instructions for the processor;

a wireless communications device to wirelessly transmit a control signal;

a display device; and

a bus coupled to the processor, the memory unit, the wireless communications device,

and the display device to communicate information, wherein:

the personal digital assistant is configured to:

display a device schedule menu, via the display device, to permit a user to directly select an external device via ~~enter data to~~ the device schedule menu for ~~controlling which~~ operation of ~~a device~~ the external device is, ~~the operation of the~~ device to be controlled in accordance with time data directly entered via the device schedule menu; and

wirelessly transmit via the wireless communications device, at a first time corresponding to the time data, a control signal to cause the device to perform a first action.

36. (Currently Amended) The personal digital assistant of claim 35, wherein the personal digital assistant is further configured to receive, via the wireless communications device, a

BEST AVAILABLE COPY

Application/Control Number: 09/770,070  
Art Unit: 2686

Docket No.: PALM-3238

signal from the external device in response to the external device receiving the control signal from the personal digital assistant.

37. (Currently Amended) The personal digital assistant of claim 36, wherein the signal received via the wireless communications device is an acknowledgement from the external device.

38. (Currently Amended) The personal digital assistant of claim 36, wherein the signal received via the wireless communications device includes status information from the external device.

39. (Currently Amended) The personal digital assistant of claim 35, wherein the personal digital assistant is further configured to:

wirelessly transmit via the wireless communications device, at a second time corresponding to the time data, a second control signal to cause the external device to perform a second action.

40. (Currently Amended) The personal digital assistant of claim 35, wherein the first action includes one of activating the external device, deactivating the external device, or adjusting a setting of the external device.

41. (Currently Amended) The personal digital assistant of claim 35, wherein the personal digital assistant is configured to:

permit a user to enter data to the device schedule menu for controlling operation of a plurality of external devices, the operation of each of the plurality of external devices to be

Application/Control Number: 09/770,070  
Art Unit: 2686

Docket No.: PALM-3238

controlled in accordance with respective time data entered via the device schedule menu for a corresponding one of the plurality of external devices.

42. (Currently Amended) The personal digital assistant of claim 35, wherein the personal digital assistant is further configured to:

permit a user to enter a regular time period for the personal digital assistant to wirelessly retransmit, via the wireless communications device, the control signal to cause the external device to perform the first action.

43. (Currently Amended) The personal digital assistant of claim 35, wherein the personal digital assistant is further configured to:

wirelessly transmit, via the wireless communications device, the control signal through a cell phone to the external device.

44. (Currently Amended) The personal digital assistant of claim 35, wherein the personal digital assistant is further configured to:

wirelessly transmit, via the wireless communications device, the control signal through a relay to the external device.

45. (Previously Presented) The personal digital assistant of claim 35, wherein the personal digital assistant is further configured to:

alarm before wirelessly transmitting the control signal; and  
permit a user to cancel the wireless transmitting of the control signal before the control signal is wirelessly transmitted after the alarming.

Application/Control Number: 09/770,070  
Art Unit: 2686

Docket No.: PALM-3238

46. (Currently Amended) A machine-readable medium having instructions recorded therein for at least one processor, the machine-readable medium comprising:

instructions for displaying a device schedule menu to permit a user to directly select an external device via ~~enter data to~~ the device schedule menu for ~~controlling which~~ operation of a ~~the external device is~~, ~~the operation of the device~~ to be controlled in accordance with time data directly entered via the device schedule menu, and

instructions for wirelessly transmitting, at a first time corresponding to the time data, a control signal to cause the device to perform a first action.

47. (Currently Amended) The machine-readable medium of claim 46 further comprising:

instructions for receiving a signal from the external device in response to the device receiving the control signal.

48. (Currently Amended) The machine-readable medium of claim 47, wherein the signal is an acknowledgment from the external device.

49. (Currently Amended) The machine-readable medium of claim 47, wherein the signal includes status information from the external device.

50. (Currently Amended) The machine-readable medium of claim 46 further comprising:

instructions for wirelessly transmitting, at a second time corresponding to the time data, a second control signal to cause the external device to perform a second action.

Application/Control Number: 09/770,070  
Art Unit: 2686

Docket No.: PALM-3238

51. (Currently Amended) The machine-readable medium of claim 46, wherein the first action includes one of activating the external device, deactivating the external device, or adjusting a setting of the external device.

52. (Currently Amended) The machine-readable medium of claim 46 further comprising:  
instructions for permitting a user to enter data to the external device schedule menu for controlling operation of a plurality of external devices, the operation of each of the plurality of external devices to be controlled in accordance with respective time data entered via the device schedule menu for a corresponding one of the plurality of external devices.

53. (Currently Amended) The machine-readable medium of claim 46 further comprising:  
instructions for permitting a user to enter a regular time period for wirelessly retransmitting the control signal to cause the external device to perform the first action.

54. (Currently Amended) The machine-readable medium of claim 46 further comprising:  
instructions for wirelessly transmitting the control signal through a cell phone to the external device.

55. (Currently Amended) The machine-readable medium of claim 46 further comprising:  
instructions for wirelessly transmitting the control signal through a relay to the external device.

56. (Previously Presented) The machine-readable medium of claim 46 further comprising:  
instructions for alarming before wirelessly transmitting the control signal; and

Application/Control Number: 09/770,070  
Art Unit: 2686

Docket No.: PALM-3238

instructions for permitting a user to cancel the wireless transmitting of the control signal before the control signal is wirelessly transmitted after the alarming.

57. (Currently Amended) A method comprising:

displaying a device schedule menu, on a portable handheld device, to permit a user to directly select a second device via enter data to the device schedule menu for controlling which operation of a the second device is , the operation of the second device to be controlled in accordance with time data directly entered via the device schedule menu; and wirelessly transmitting, at a first time corresponding to the time data, a control signal to cause the second device to perform a first action.

58. (Previously Presented) The method of claim 57 further comprising:

wirelessly receiving a signal from the second device in response to the second device receiving the control signal.

59. (Previously Presented) The method of claim 58, wherein the received signal is an acknowledgment from the second device.

60. (Previously Presented) The method of claim 58, wherein the received signal includes status information from the second device.

61. (Previously Presented) The method of claim 57 further comprising:

wirelessly transmitting, at a second time corresponding to the time data, a second control signal to cause the second device to perform a second action.

Application/Control Number: 09/770,070  
Art Unit: 2686

Docket No.: PALM-3238

62. (Currently Amended) The method of claim 57, wherein the first action includes one of activating the device, deactivating the device, or adjusting a setting of the second device.

63. (Previously Presented) The method of claim 57, further comprising:  
permitting a user to enter data to the device schedule menu for controlling operation of a plurality of second devices, the operation of each of the plurality of second devices to be controlled in accordance with respective time data entered via the device schedule menu for a corresponding one of the plurality of second devices.

64. (Previously Presented) The method of claim 57 further comprising:  
permitting a user to enter a regular time period for wirelessly retransmitting the control signal to cause the second device to perform the first action.

65. (Previously Presented) The method of claim 57 further comprising:  
wirelessly transmitting the control signal through a cell phone to the second device.

66. (Previously Presented) The method of claim 57 further comprising:  
wirelessly transmitting the control signal through a relay to the second device.

67. (Previously Presented) The method of claim 57 further comprising:  
alarming before wirelessly transmitting the control signal; and  
permitting a user to cancel the wireless transmitting of the control signal before the control signal is wirelessly transmitted after the alarming.